Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6317778".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 04:03
L2	68656	(pda mobile cell) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L3	0	(("6347087" "6016388").pn.) and mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L4	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L5	86070	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L6	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L7	90	(caching near2 protocol) same rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L8	4	("6347087" "6016388").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L9	375191	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L10	9570	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L11	1159	(((online internet web) same (community group)) same (refer introduce link associate)) same (block prevent lock ban bar authenticate password)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L12	86070	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

	T			,		
L13	0	("6347087" "6016388").pn. and cach\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L14	375191	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L15	3	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L16	123	rout\$3 near15 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L17	3	(caching near2 protocol) same (satellite)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L18	90	(caching near2 protocol) same rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L19	93	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L20	17912	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L21	23904	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L22	3	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L23	65653	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L24	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

			•			
L25	17912	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L26	1130	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L27	388	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L28	273	(((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L29	25	((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L30	284	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L31	273	(((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L32	485	(online internet web) near30 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L33	24667	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L34	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L35	0	("6343313").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L36	0	("5586121").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

L37	485	(online internet web) near30 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L38	2	(jpg htm pdf mime) same ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L39	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L40	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L41	123	rout\$3 near15 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L42	58033	(wireless near2 device) and (pda mobile cell)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L43	1249	(network near30 rout\$3) same (application adj layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L44	25	((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L45	388	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L46	65653	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L47	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L48	3	("6347087" "6205481" "6016388").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 05:38

			_			
L49	0	L48 and (rout\$4 near10 (size))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 05:38
L50	82	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L51	3396	content near4 routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L52	24667	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L53	0	(("6347087" "6016388").pn.) and mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L54	97	(((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L55	93	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L56	3	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L57	3	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L58	93	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L59	284	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L60	0	("6347087" "6016388").pn. and cach\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

L61	284	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L62	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L63	24667	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L64	388	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L65	65653	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L66	82	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L67	2112163	pda mobile cell	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L68	668	(library same manag\$5) same (device same host)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L69	375191	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L70	93	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L71	0	(routing adj option) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L72	82	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

L73	1130	routing adj option	US-PGPUB; USPAT;	OR	ON	2007/06/25 05:38
			EPO; DERWENT; IBM_TDB			
L74	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L75	9570	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L76	3396	content near4 routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L77	1130	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L78	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L79	9570	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L80	24667	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L81	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ОR	ON	2007/06/25 05:38
L82	97	(((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L83	0	(routing adj option) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L84	93	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

L85	388	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L86	65653	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L87	24667	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L88	86070	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L89	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L90		((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L91	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L92	0	caching near2 protcol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L93	425	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L94	2667	activate near2 feature	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L95	9570	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L96	21	(content adj based adj routing) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

L97	26	(application adj layer) same (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L98	2	(((caching near2 protocol) same rout\$3) and satellite) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L99	14	((caching near2 protocol) same rout\$3) and (content near routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L100	20	rout\$3 near15 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L101	93	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L102	0	("6343313").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L103	47	(rout\$3 near15 mime) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L104	70129	((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L105	2112163	pda mobile cell	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L106	375191	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L107	68656	(pda mobile cell) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L108	86070	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

L109	19	((san or (storage adj area adj network)) and ndmp) and library	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L110	23904	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L111	2	"6377986".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L112	18	(url near5 suffix) same rout\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L113	668	(library same manag\$5) same (device same host)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L114	375191	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L115	17912	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L116	24667	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L117	4	("6205481" "6347087").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L118	14	(((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) ((ascii same binary) and (routing adj option))) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L119	65	(san or (storage adj area adj network)) and ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L120	121	((online internet web) near5 (dating)) same (profile preference associate link)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

L121	135	((((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)) and (server)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L122	9570	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L123	97	(((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L124	425	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L125	8	((network near30 rout\$3) same (application adj layer)) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L126	13	(((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L127	19	((san or (storage adj area adj network)) and ndmp) and library	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L128	2	(jpg htm pdf mime) and ((((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L129	82	(jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L130	28	(ascii same binary) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L131	11	(routing adj option) and ((content data file) near4 (type size) near10 (mime jped jpg htm html))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L132	27	(content adj based adj routing) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38

L133	21	(content adj based adj routing) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L134	26	(application adj layer) same (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L135	2	(((caching near2 protocol) same rout\$3) and satellite) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L136	14	((caching near2 protocol) same rout\$3) and (content near routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L137	1249	(network near30 rout\$3) same (application adj layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L138	2028	content near2 routing	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 05:38
L139	58	L138 near30 cache	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 05:38
L140	23904	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 05:38
L141	541	content near2 based near2 routing	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 05:38
L142	14	L141 near30 cache	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 05:38
L143	1	("20050021857").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 05:38
L144	1	L143 and (service control management poll\$4 active inactive)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/06/25 05:38